

Paessler WMI Tester

Introduction

WMI is a database that offers a variety of useful monitoring values of Computers running Microsoft Windows. Products like Paessler's PRTG Network Monitor make use of the WMI functionality for monitoring computers in network environments.

As WMI access over a network is not quite trivial, the Paessler WMI Tester is a tool for testing the accessibility of WMI in a quick and easy-to-use way.

Usage

Basic

After starting Paessler WMI Tester you can enter the following data:

Domain: the Windows domain in which the computer you want to test is in. Leave empty when testing your own machine. Enter the computer's name when testing a domainless machine (i.e. a standalone computer or a computer in a workgroup).

Host: the name of the computer you want to test. Leave empty when testing your own machine. Try to enter the specific IP address in case the connection fails. Also check if your domain controller is accessible from the target machine because it is needed to verify the Windows credentials.

User: the name of the user that is allowed to log in on the machine you want to test. You MUST leave this empty when testing your own machine.

Password: the password of the user. You MUST leave this empty when testing your own machine.

Now click the "Test!" button. After a short time you will either see a result table showing information about the Windows system on the machine or an error message if something went wrong.

Paessler WMI Tester 2.3.2.6 © 2007-2013 Paessler AG

Basic | Advanced | About

Domain: COMPANYDOMAIN

Computer name / IP address: COMPUTER01

User: USER01

Password:

Stop Query ☒ show result grid (unchecked to accelerate slow queries) Duration (ms): 296 Result count: 1

BootDevice	BuildNumber	BuildType	Caption	CodeSet	CountryCode	CreationClassName
Device\HarddiskVolu	6002	Multiprocessor	Microsoft®	1252	49	Win32_OperatingSystem

Selected Query: Select * FROM Win32_OperatingSystem

Save Results...

Test! Close

Advanced

On this tab you can enter:

Domain prefix: will be added internally to the Host name (usually you can leave this at NTLMDOMAIN:)


Namespace: the name space the WMI query will use, standard is root\CIMV2

Initial Portscan and **RPC Port:** Check the Portscan checkbox if WMI Tester should do a fast port scan to check if the RPC server is running and accessible on the target machine prior to opening a WMI Connection. You can specify the configured port number, usually 135.

Calculation Base: WMI often returns with large numbers, so the calculation base is defaulted to “use extended”. Change only when resulting numbers seem odd.

Query: choose between six predefined query sets (operating system, processes, logical disks, memory, processor, network) or enter your own query (if you know how WMI works!).

You can leaf through the history of those queries you executed during the current session which is useful when experimenting with various classes and parameters. Simply place the cursor inside the query edit field and press Strg+Up or Strg+Down.



Disclaimer:

Use at your own risk!